Scissor Lift

Used Scissor Lift Oceanside - Scissor lifts are industrial equipment that relies on steel linked arms to lift vertically. These machines feature an “X” support system to accommodate vertical lifting at various heights. The scissor lift has a rectangular platform attached to the top of it. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. This equipment relies on either a combustion engine or an electric motor to create the lift and transport the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. The rough terrain is specially designed for traversing uneven ground. These machines rely on large all-terrain tires to allow rough terrain scissor lifts to traverse difficult locations while offering higher ground clearance. Certain models offer 4WD making them able to traverse through dirty areas. The higher center of gravity works in conjunction with lower lifting heights. If you have never operated one before, scissor lifts can seem strange or intimidating. While you may think this machine is susceptible to swaying in the wind or becoming unbalanced, understand that it has been designed to ensure total operator safety and that likely, you will not even feel the machine moving. A variety of safety tests have to be completed before this unit can be sold. Of course, if you are new to this kind of equipment, it is normal to feel unsure until you familiarize yourself with the unit. Safety precautions need to be maintained at all times. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The unit you need will vastly depend on the kind of work you need to do. Key factors to consider include how high you will need to reach and the types of loads you will be moving. Extreme heights can be attained by different models depending on your specific application. Tinier models are often preferred for interior jobs such as factory, freight or warehousing situations. There is no reason to buy the biggest and best model on the market if you are not going to use the highest capacity. Optional railings and platforms are available on electrical scissor lifts to provide maximum safety. These units are safe and reliable. Many safety inspections and specifications need to be maintained in order for these industrial machines to be available for sale. These machines help us facilitate tasks that would otherwise not be possible. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. Before the lift is engaged, the operator will properly position the unit. Numerous safety features have been designed into the machine. Following operational guidelines is essential for everyone’s safety. Scissor lifts offer a secure basket workspace making many tasks much safer than trying to complete while dangling off of a ladder or scaffolding. Most scissor lifts rely on internally mounted batteries within the lifts’ base for power. Charging is required after a long sitting for an extended time or working a long shift. Batteries may be changed every 12 hours or charged many times throughout the day. To charge the scissor lift, the operator parks it close to an electrical outlet within a well-ventilated location. The emergency shut-off switch is engaged upon parking to prevent other operators from driving off while plugged in. The sizeable red button found inside of the basket or the lift located near the charger or control box is the emergency shut-off switch. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The scissor lift charger is plugged into the AC extension cord into a well-ventilated location. Next, the extension cord plugs into an electrical outlet. The electrical cord length on the battery charger has to be short for safety reasons to prevent the unit from running over it. If the extension cord came out of the battery charger storage location during operation, there is a great potential for extreme danger. After the scissor lift plugs in to charge, all of the lights should become lit up. The batteries will automatically begin charging once plugged in. The battery lights will switch to green once complete charging has occurred and the charger will shut off. Models that are older and rely on a meter will show zero volts after they are charged fully and then the charger will also

turn off automatically. The machine is ready to tackle another shift once the batteries are fully charged. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.